


ISOCLASS BEARINGS

| CONE<br>(Inner Race)<br>number | CUP<br>(Outer Race)<br>number | Cone<br>BORE<br>d | Cup<br>OUTSIDE DIA.<br>D | Bearing<br>WIDTH<br>T | Cone<br>WIDTH<br>B | Cup<br>WIDTH<br>C | Max. Shaft<br>Fillet Radii<br>R | Max. Hsng.<br>Fillet Radii<br>r | Weight             |
|--------------------------------|-------------------------------|-------------------|--------------------------|-----------------------|--------------------|-------------------|---------------------------------|---------------------------------|--------------------|
| X30203                         | Y30203                        | 17.000<br>0.6693  | 40.000<br>1.5748         | 13.250<br>0.5217      | 12.000<br>0.4724   | 11.000<br>0.4331  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.08 kg<br>0.18 lb |
| X30204                         | Y30204                        | 20.000<br>0.7874  | 47.000<br>1.8504         | 15.250<br>0.6004      | 14.000<br>0.5512   | 12.000<br>0.4724  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.13 kg<br>0.28 lb |
| X30204                         | Y30204Z                       | 20.000<br>0.7874  | 47.000<br>1.8504         | 15.250<br>0.6004      | 14.000<br>0.5512   | 12.000<br>0.4724  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.13 kg<br>0.28 lb |
| X30204M                        | Y30204M                       | 20.000<br>0.7874  | 47.000<br>1.8504         | 15.250<br>0.6004      | 14.000<br>0.5512   | 12.000<br>0.4724  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.13 kg<br>0.28 lb |
| X30205                         | Y30205                        | 25.000<br>0.9843  | 52.000<br>2.0472         | 16.250<br>0.6398      | 15.000<br>0.5906   | 13.000<br>0.5118  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.15 kg<br>0.33 lb |
| X30205                         | YAA30205                      | 25.000<br>0.9843  | 52.000<br>2.0472         | 16.250<br>0.6398      | 15.000<br>0.5906   | 13.000<br>0.5118  | 1.0<br>0.04                     | 1.5<br>0.06                     | 0.15 kg<br>0.33 lb |
| X30205M                        | Y30205M                       | 25.000<br>0.9843  | 52.000<br>2.0472         | 16.250<br>0.6398      | 15.000<br>0.5906   | 13.000<br>0.5118  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.15 kg<br>0.33 lb |
| XAA30205                       | Y30205                        | 25.000<br>0.9843  | 52.000<br>2.0472         | 16.250<br>0.6398      | 15.000<br>0.5906   | 13.000<br>0.5118  | 4.0<br>0.16                     | 1.0<br>0.04                     | 0.15 kg<br>0.33 lb |
| XAA30205                       | YAA30205                      | 25.000<br>0.9843  | 52.000<br>2.0472         | 16.250<br>0.6398      | 15.000<br>0.5906   | 13.000<br>0.5118  | 4.0<br>0.16                     | 1.5<br>0.06                     | 0.15 kg<br>0.33 lb |
| X30206                         | Y30206                        | 30.000<br>1.1811  | 62.000<br>2.4409         | 17.250<br>0.6791      | 16.000<br>0.6299   | 14.000<br>0.5512  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.23 kg<br>0.51 lb |
| X30206M                        | Y30206M                       | 30.000<br>1.1811  | 62.000<br>2.4409         | 17.250<br>0.6791      | 16.000<br>0.6299   | 14.000<br>0.5512  | 1.0<br>0.04                     | 1.0<br>0.04                     | 0.24 kg<br>0.53 lb |
| X30207                         | Y30207                        | 35.000<br>1.3780  | 72.000<br>2.8346         | 18.250<br>0.7185      | 17.000<br>0.6693   | 15.000<br>0.5906  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.33 kg<br>0.72 lb |
| X30207M                        | Y30207M                       | 35.000<br>1.3780  | 72.000<br>2.8346         | 18.250<br>0.7185      | 17.000<br>0.6693   | 15.000<br>0.5906  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.34 kg<br>0.75 lb |
| X30208                         | Y30208                        | 40.000<br>1.5748  | 80.000<br>3.1496         | 19.750<br>0.7776      | 18.000<br>0.7087   | 16.000<br>0.6299  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.43 kg<br>0.95 lb |
| X30208M                        | Y30208M                       | 40.000<br>1.5748  | 80.000<br>3.1496         | 19.750<br>0.7776      | 18.000<br>0.7087   | 16.000<br>0.6299  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.43 kg<br>0.95 lb |
| X30209                         | Y30209                        | 45.000<br>1.7717  | 85.000<br>3.3465         | 20.750<br>0.8169      | 19.000<br>0.7480   | 16.000<br>0.6299  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.49 kg<br>1.07 lb |
| X30209M                        | Y30209M                       | 45.000<br>1.7717  | 85.000<br>3.3465         | 20.750<br>0.8169      | 19.000<br>0.7480   | 16.000<br>0.6299  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.46 kg<br>1.01 lb |
| X30210                         | Y30210                        | 50.000<br>1.9685  | 90.000<br>3.5433         | 21.750<br>0.8563      | 20.000<br>0.7874   | 17.000<br>0.6693  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.55 kg<br>1.21 lb |
| X30210M                        | Y30210M                       | 50.000<br>1.9685  | 90.000<br>3.5433         | 21.750<br>0.8563      | 20.000<br>0.7874   | 17.000<br>0.6693  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.55 kg<br>1.22 lb |
| X30210M                        | *Y30210RM                     | 50.000<br>1.9685  | 90.000<br>3.5433         | 8.750<br>0.3445       | 20.000<br>0.7874   | 17.000<br>0.6693  | 1.5<br>0.06                     | 1.5<br>0.06                     | 0.54 kg<br>1.19 lb |
| XGA30210                       | Y30210                        | 52.000<br>2.0472  | 90.000<br>3.5433         | 21.750<br>0.8563      | 20.000<br>0.7874   | 17.000<br>0.6693  | 4.0<br>0.16                     | 1.5<br>0.06                     | 0.52 kg<br>1.15 lb |
| X30211                         | Y30211                        | 55.000<br>2.1654  | 100.000<br>3.9370        | 22.750<br>0.8957      | 21.000<br>0.8268   | 18.000<br>0.7087  | 2.0<br>0.08                     | 1.5<br>0.06                     | 0.72 kg<br>1.58 lb |
| X30211M                        | Y30211M                       | 55.000<br>2.1654  | 100.000<br>3.9370        | 22.750<br>0.8957      | 21.000<br>0.8268   | 18.000<br>0.7087  | 2.0<br>0.08                     | 1.5<br>0.06                     | 0.73 kg<br>1.62 lb |
| X30212                         | Y30212                        | 60.000<br>2.3622  | 110.000<br>4.3307        | 23.750<br>0.9350      | 22.000<br>0.8661   | 19.000<br>0.7480  | 2.0<br>0.08                     | 1.5<br>0.06                     | 0.89 kg<br>1.97 lb |
| X30212M                        | Y30212M                       | 60.000<br>2.3622  | 110.000<br>4.3307        | 23.750<br>0.9350      | 22.000<br>0.8661   | 19.000<br>0.7480  | 2.0<br>0.08                     | 1.5<br>0.06                     | 0.89 kg<br>1.97 lb |
| X30213                         | Y30213                        | 65.000<br>2.5591  | 120.000<br>4.7244        | 24.750<br>0.9744      | 23.000<br>0.9055   | 20.000<br>0.7874  | 2.0<br>0.08                     | 1.5<br>0.06                     | 1.15 kg<br>2.52 lb |
| X30213M                        | Y30213M                       | 65.000<br>2.5591  | 120.000<br>4.7244        | 24.750<br>0.9744      | 23.000<br>0.9055   | 20.000<br>0.7874  | 2.0<br>0.08                     | 1.5<br>0.06                     | 1.16 kg<br>2.56 lb |
| X30214                         | Y30214                        | 70.000<br>2.7559  | 125.000<br>4.9213        | 26.250<br>1.0335      | 24.000<br>0.9449   | 21.000<br>0.8268  | 2.0<br>0.08                     | 1.5<br>0.06                     | 1.26 kg<br>2.79 lb |
| X30214M                        | Y30214M                       | 70.000<br>2.7559  | 125.000<br>4.9213        | 26.250<br>1.0335      | 24.000<br>0.9449   | 21.000<br>0.8268  | 2.0<br>0.08                     | 1.5<br>0.06                     | 1.30 kg<br>2.87 lb |
| X30215                         | Y30215                        | 75.000<br>2.9528  | 130.000<br>5.1181        | 27.250<br>1.0728      | 25.000<br>0.9843   | 22.000<br>0.8661  | 2.0<br>0.08                     | 1.5<br>0.06                     | 1.35 kg<br>2.97 lb |
| X30215M                        | Y30215M                       | 75.000<br>2.9528  | 130.000<br>5.1181        | 27.250<br>1.0728      | 25.000<br>0.9843   | 22.000<br>0.8661  | 2.0<br>0.08                     | 1.5<br>0.06                     | 1.40 kg<br>3.09 lb |
| X30216                         | Y30216                        | 80.000<br>3.1496  | 140.000<br>5.5118        | 28.250<br>1.1122      | 26.000<br>1.0236   | 22.000<br>0.8661  | 2.5<br>0.10                     | 2.0<br>0.08                     | 1.63 kg<br>3.59 lb |
| X30216M                        | Y30216M                       | 80.000<br>3.1496  | 140.000<br>5.5118        | 28.250<br>1.1122      | 26.000<br>1.0236   | 22.000<br>0.8661  | 2.5<br>0.10                     | 2.0<br>0.08                     | 1.67 kg<br>3.67 lb |
| X30216                         | YFA30216                      | 80.000<br>3.1496  | 141.000<br>5.5512        | 28.250<br>1.1122      | 26.000<br>1.0236   | 22.000<br>0.8661  | 2.5<br>0.1                      | 2.0<br>0.08                     | 1.66 kg<br>3.67 lb |
| X30216                         | YHA30216                      | 80.000<br>3.1496  | 150.000<br>5.9055        | 30.550<br>1.2028      | 26.000<br>1.0236   | 24.300<br>0.9567  | 2.5<br>0.1                      | 0.8<br>0.03                     | 2.14 kg<br>4.72 lb |



10

\* Flanged cup, Bearing width is T1 Dimension